

GAUZE, G.F. (Moskva)

Deficient oxidation in cancer cells and biochemical mutants of certain micro-organisms. Usp.sovr.biol. 47 no.1:100-107 Ja-F '59.
(MIRA 12:2)

(MICROORGANISMS, metab.
defective oxidation, relation to defective oxidation
in cancer cell, review (Rus))
(NEOPLASMS, metabolism,
defective oxidation, relation to defective oxidation
in microorganisms, review (Rus))

17(2)

SOV/20-124-3-52/67

AUTHORS:

Gauze, G. F., Kochetkova, G. V., Vladimirova, G. V.

TITLE:

On the Effect of Cancer-Inhibiting Substances on Biochemical Mutants of Microorganisms With Disturbed Oxidation (O deystvii protivorakovykh veshchestv na biokhimicheskikh mutantov mikroorganizmov s povrezhdennym okisleniyem)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 124, Nr 3, pp 674-677 (USSR)

ABSTRACT:

The authors have attempted to extend the range of their investigations of the biochemical mutants - mentioned in the title - of the yeast cells and bacteria (Refs 1-4) to the protozoa. Said mutants can serve as cancer cell analogues, as they, too, are characterized by a defect of the respiratory apparatus. Tests were carried out with Polytoma uvella, a colorless flagellate (Chlamydomonadae), which can be cultivated on liquid and solid agar-containing culture media as easily as bacteria can. P. uvella was obtained from infusions of peat soils. As neither high temperatures, nor ultraviolet irradiation, nor urethane could produce the desired mutants, the authors employed carcinogenic hydrocarbons (Ref 6): 9,10-dimethyl-1,2-benzanthracene (0.001 - 0.0005%). After 3 months of cultivation with transplanting from liquid to solid media and back carried out at 48 hours' intervals, a strain with the desired properties could at last be obtained.

Card 1/4

SOV/20-124-3-52/67

On the Effect of Cancer-Inhibiting Substances on Biochemical Mutants of Micro-organisms With Disturbed Oxidation

Compared with a normal culture, the mutant one showed a hereditary reduced respiration as its oxygen consumption is only 62% of that of the normal culture. Biochemical mutants of this kind are of importance as test objects in the search for cancer-inhibiting substances. In this connection it is interesting to find whether the well-known and partly well-proved anti-cancer preparations have a selective suppressive effect on said mutants. In the paper under review, the results of such investigations are presented.

D e g r a n o l e (1,6-bis-(β -chloroethane amine)-1,6-desoxy-D-mannitol) (Ref 7). As shown in table 1, normal cultures of staphylococci and Escherichia coli are not suppressed by any of the proved concentrations of degranole. The growth of the above-mentioned biochemical mutants of these bacteria is, however, selectively impaired. Thus it can be concluded that this very oxidation defect is the vulnerable point of the bacterial cell with regard to degranole. A c t i n o m y c i n C (Ref 8). From table 2 it can be seen that this preparation has a most marked selective effect in the above sense on the mutants under consideration. A n t i b i o t i c 6270 was isolated, at the Institute mentioned in the Association, from an actinomyces strain allied to *Actinomyces flavochromogenes*. It belongs

Card 2/4

SOV/20-124-3-52/67

On the Effect of Cancer-Inhibiting Substances on Biochemical Mutants of Micro-organisms With Disturbed Oxidation

to the echinomycin group although it differs from the substance described in reference 8. As demonstrated by table 3, the above-mentioned substance has the same effect on the two above bacteria strains as well as on bacillus mycoides. The same results were yielded by tests with Polytoma uvella (Fig 1). Substances which are not cancer-inhibiting (quinine and acrichicine) also suppress the growth of the P. uvella cultures to the same extent. Tetrazole (2,3,5-triphenyl-tetrazole-chloride), which also does not affect cancer, is more strongly reduced by the normal form. It seems that this is the reason for the fact that the growth of the normal P. uvella culture is more strongly suppressed than that of a mutant one.- There are 1 figure, 3 tables and 9 references, 4 of which are Soviet.

ASSOCIATION: Institut po izyskaniyu novykh antibiotikov Akademii meditsinskikh nauk SSSR (Institute for the Detection of New Antibiotics of the Academy of Medical Sciences, USSR)

PRESENTED: October 17, 1958, by A. L. Kursanov, Academician

Card 3/4

GAUZE, G.F.; KOCHETKOVA, G.V.

Use of staphylococcal mutants with defective oxidation for the investigation of anticancerous antibiotics. Antibiotiki 5 no.1: 62-64 Ja-F '60. (MIRA 13:7)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.
(ANTIBIOTICS) (CANCER) (STAPHYLOCOCCUS)

GAUZE, G.F.; PREOBRAZHENSKAYA, T.P.; IVANITSKAYA, L.P.; KOVALENKOVA, V.K.

Synthesis of a new antibiotic monomycin by *Actinomyces circulatus*
var. *monomycini* cultures. Antibiotiki 5 no.4:3-6 Jl-Ag '60.
(MIRA 13:9)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.
(ANTIOBIOTICS) (ACTINOMYCES)

GAUZE, G.F., prof.

Some results of our visit to the United States. Vest. AMN SSSR 15
no. 3:71-82 '60. (MIRA 14:5)
(ANTIBIOTICS--CONGRESSES) (UNITED STATES--MEDICINE)

GAUZE, G.F., prof.

Strategy and tactics in the use of antibiotics and prospects for
a further study. Vest.AMN SSSR 15 no.4:44-49 '60. (MIRA 14:5)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.
(ANTIBIOTICS)

GAUZE, G.F., KOCHETKOVA, G.V. VLAUREROVA, G.B. (USSR)

"Biochemical changes Associated with Loss of Oxidation in
Staphylococci."

Report presented at the 5th Int'l. Biochemistry Congress,
Moscow, 10-16 Aug 1961.

GAUZE, G.F.; KHORIN, V.A.; BRAZHNKOVA, M.G.; PREOBRAZHENSAYA, G.P.
IVANITSKAYA, L.P.; LAVROVA, M.F.; USPENSKAYA, G.A.; GOL'DBERG,
L.Ye.; STANISLAVSKAYA, M.S.; IVANOV, K.K.; KOVALENKOVA, V.K.

Monomycin , a new antibacterial antibiotic. Nauch. inform.
Otd. nauch. med. inform. AMN SSSR no.1:39-40 '61 (MIRA 16:11)

1. Institut po izyskaniyu novykh antibiotikov (direktor - prof.
G.F.Gauze) AMN SSSR, Moskva.

*

GAUZE, Georgiy F.

—"Anti-biotic monomycin and its clinical use" (I)
Report to be submitted for the 2nd Intl. Symposium of
Chemotherapy, Naples Italy 14-17 Sep. 1961.

GAUZE, G.F., Deputy Scientific Director, Institute
for New Antibiotics, Academy of Medical Sciences
USSR, Moscow

GAUZE, G.F.; KOCHETKOVA, G.V.

Selective inhibition [of the synthesis] of nucleic acids in staphylococcal mutants, used in the screening of antitumor antibiotics. Antibiotiki 6 no.7:643-649 Jl '61. (MIRA 15:6)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.
(ANTIBIOTICS) (STAPHYLOCOCCUS) (NUCLEIC ACIDS)

GAUZE, G.F.

Second International Symposium on Antibiotics and Chemotherapy.
Antibiotiki 6 no.12:1131-1134 D '61. (MIRA 15:2)
(CHEMOTHERAPY__CONGRESSES) (ANTIBIOTICS)

GAUZE, G.F.; KOCHETKOVA, G.V.; VLADIMIROVA, G.B.

Biochemical changes associated with oxidation deficiency in
staphylococci. Dokl. AN SSSR 139 no.1:223-226 Jl '61. (MIRA 14:7)

1. Institut po izyskaniyu novykh antibiotikov Akademii
meditsinskikh nauk SSSR. Predstavлено академиком V.A.
Engel'gardtom.

(STAPHYLOCOCCUS) (OXIDATION, PHYSIOLOGICAL)
(VARIATION (BIOLGOY))

GAUZE, G. F.

"Mutants with small colonies, impaired respiration and distorted nucleic acids
in *Micrococcus fermentans*."

report to be submitted for the 34th General Meeting of the Society for General
Microbiology, London, 9-11 April 1962.

Inst. of Antibiotics, Acad. Med. Sci. USSR

GAUZE, G.F., prof., red.; SHORIN, V.A., red.; PETROVA, N.K.,
tekhn. red.

[Monomycin and its use in a clinic] Monomitsin i ego pri-
menenie v klinike. Moskva, Medgiz, 1962. 186 p.

(MIRA 16:5)

1. Akademiya meditsinskikh nauk SSSR, Moscow. 2. Chlen-
korrespondent Akademii meditsinskikh nauk SSSR (for Gauze).
(MONOMYCIN)

GAUZE, G.F.

Biological methods of obtaining antimetabolites from a malignant growth.
Vest. AMN SSSR 17 no.3:8-12 '62. (MIRA 15:4)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.
(ANTIMETABOLITES) (CYTOTOXIC DRUGS)

GAUZE, G.F.

"Molecular biology of cancer cells."

Report to be submitted to the "Third Intl. Congress of Chemotherapy.

Stuttgart, West Germany 22-27 July 1963

GAUZE, G.F.; KUDRINA, Ye.S.; UKHOLINA, R.S.; GAVRILINA, G.V.

New antibiotic ristomycin produced by *proactinomyces fructiferi* var. *ristomycini*. Antibiotiki 8 no. 5:587-392 My'63
(MIRA 17:3)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.

GAUZE, G.F.

Mechanism of the selective action of some antibiotics which
suppress the influenza virus, on the synthesis of nucleic acids
in the cell. Vest. AMN SSSR 18 no.5:68-70'63. (MIa 16:8)
(ANTIBIOTICS) (INFLUENZA—VIRUSES)
(NUCLEIC ACIDS)

GAUZE, G.F.; KOCHETKOVA, G.V.; VLADIMIROVA, G.B.; LANEV, I. ,

Some characteristics of the mutants of *Staphylococcus afermentans* with a respiratory defect. Mikrobiologiya no.2:260-265 Mr-Ap '63. (MILIA 17;9)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.

GAUZE, G.F. (Moskva)

Microorganisms and problems in the molecular biology of cancer.
Usp. sovr. biol. 55 no.3:411-427 My-Je'63 (MIRA 17:3)

GAUZE, G.F.; VLADIMIROVA, G.B.; ZIMENKOVA, L.P.; LANDAU, N.S.

Study of the antibiotic properties of mutants of micro-organisms with
oxidation defects. Antibiotiki 8 no.12:1082-1085 D '63.

(MIRA 17:10)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

U.S. News & World Report

"U.S. News & World Report: The Influence of Chemotherapy and Antibiotics in Stuttgart's Antibiotic. 8 Nov 1961, 131-133. (MIRA 17.10)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

GAUZE, G.F.; LAYKO, A.V.

Autonomous protein synthesis in staphylococcal mutants with
deficient oxidation. Dokl.AN SSSR 149 no.3:711-713 Mr '63.
(MIRA 16:4)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.
Predstavлено академиком А.А.Имшенетским.
(Staphylococcus) (Protein metabolism)

GAUZE, G.F.; LAYKO, A.V.

Protein synthesis as a function of nucleic acid synthesis in
staphylococci and their oxidation-deficient mutants.
Mikrobiologija 33 no.2:193-197 Mr-Apr '64.

(MIRA 17:12)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.

GAUZE, G. F.; LAYKO, A. V.

"The selective action of some antineoplastic antibiotics on the nuclear acids
in staphylococci and their mutants."

report submitted for Antibiotics Cong, Prague, 15-19 Jun 64.

Inst for Search for New Antibiotics, AMS USSR, Moscow.

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZE, G. F.; LAYKO, A. V.

"On the Selective Action of Some Antitumor Antibiotics upon the Nucleic Acids of
Staphylococci and of their Mutants."

report ~~XXXX~~ submitted for 6th Intl Biochemistry Cong, New York City, 26 Jul-1 Aug
1964.

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

GAUZE, G.F.

Chemical synthesis and biosynthesis in searching for new
antibiotics. Vest.AMN SSSR. no.4:73-79 '64. (MIRA 18:8)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR, Moskva.

GAUZE, G.F.

Problems concerning antibiotics at the 6th International Biochemical Congress (New York, July 26-August 1, 1964). Antibiotiki 9
no.11:1036-1039 N '64. (MIRA 18:3)

L 3158-66 EWT(l)/EWA(j)/EWA(v)-2

JK

UR/0020/64/155/005/1184/1187

ACCESSION NR: AP5019329

AUTHOR: Gauze, G. F.; Kochetkova, G. V.; Bibikova, M. V.

TITLE: Investigation of mutants with an oxidation defect in bacillus subtilis

SOURCE: AN SSSR. Doklady, v. 155, no. 5, 1964, 1184-1187

TOPIC TAGS: bacteria, genetics, antibiotic

ABSTRACT: A new method was developed for producing mutants of *Bacillus subtilis* 168 with small colonies and a respiration defect, based on the mutagenic action of 5-fluorouracil. Most of the small mutants obtained were unstable, splitting out cells of the original form, with large colonies; however, stable mutants that did not revert to the original form after repeated reinoculations were obtained. Optimum 5-fluorouracil content for the induction of stable mutants: 250 micrograms per milliliter. Determinations of the respiratory quotient, studies of the effects of substances that selectively interfere with nucleic acid synthesis (mitomycin C, actinomycin C, trypaflavin, degranol), protein synthesis (puromycin, tetracycline, chloramphenicol), and

Card 1/2

L 3158-66

ACCESSION NR: AP5019329

the synthesis of the cellular membrane (penicillin), and investigations of the synthesis of the enzyme beta-galactosidase in the cells of these micro-organisms, indicated that *B. subtilis* mutants with an oxidation defect are characterized by refractoriness of the respiration to the effects of exogenous glucose, a selective sensitivity to the action of puromycin -- a specific inhibitor of the concluding stages of protein synthesis -- and a loss of the ability for the induction of beta-galactosidase. In view of these properties, the authors recommend such mutants as test objects for the search for new antibiotics that selectively suppress protein synthesis in the bacterial cell.

2

Orig. art. has: 3 tables.

ASSOCIATION: Institut po izyskaniyu novykh antibiotikov Akademii meditsinskikh nauk SSSR (Institute for the Search for New Antibiotics, Academy of Medical Sciences SSSR)

SUBMITTED: 17Oct63

ENCL: 00

SUB CODE: LS

NR REF Sov: 002

OTHER: 007

JPRS

Card 2/2 ml

GAUZE, G.G.; LOSHKAREVA, N.P.; ZBARKIY, I.B.; GAUZE, G.F.

Composition of DNA in some bacteria and their mutants carrying
oxidation deficiency. Dokl. AN SSSR 157 no. 2:457-459 J1 '64.
(MIRA 17:7)

1. Institut morfologii zhivotnykh imeni A.N.Seventsova AN SSSR
i Institut po izyskaniyu novykh antibiotikov AMN SSSR. Predstavлено
akademikom A.A.Imshenetskim.

GAUZE, G.F.

Biochemical mechanisms of the action of antineoplastic antibiotics in connection with the problem of the search for new active preparations. Vest. AMN SSSR no.4:46-52 '65.
(MIRA 18:10)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR,
Moskva.

GAUZE, G.E.; UKHOLINA, R.S.; PREOBRAZHENSAYA, T.P.; KOVALENKOVA, V.K.;
GAVRILINA, G.V.; PAVLENKO, I.A.

Antibiotic 14725, a synergistic preparation from the ostreogrycin
group. Antibiotiki 9 no.9: 809-814 S '64. (MIRA 19:1)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR, Moskva.

MAKSIMOVA, T.S.; TOROPOVA, Ye.G.; KOVALENKOVA, V.K.; GAUZE, G.F.

Antitumor antibiotics of the enkaline group produced by
actinomycetes. Antibiotiki 10 no.3:201-207 M. '65.

(MIRA 18:10)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR,
Moskva.

GAUZE, G.F.

Molecular biology and problems of antibiotics. Antibiotiki
10 no.11:1037-1050 N '65.
(MIRA 19:1)

1. Institut po izyskaniyu novykh antibiotikov, Moskva.
Submitted June 5, 1965.

GOLUB, Ye.I.; GAUZE, G.G.; DVORKIN, G.A.; SPIRIN, A.S.

Electrooptical methods for studying the ribosomes from Escherichia coli. Dokl. AN SSSR 149 no.2:446-449 Mr '63. (MIRA 16:3)

1. Institut biofiziki AN SSSR i Institut biokhimii im. A.N.Bakha AN SSSR. Predstavлено академиком A.I. Смирином.
(ESCHERICHIA COLI) (ELECTRON OPTICS) (PROTEIN METABOLISM)

ZBARKIY, I.B.; GAVIE, G.G.

Effect of actinomycin D on the incorporation of labeled amino acids into the nuclei proteins of Ehrlich ascites carcinoma.
Vop. med. khim. 10 no.4:446-457. 1964. (MIRA 18:4)

I, Laboratoriya biokhimii i biochimicheskikh struktur Instituta parafologii
i aktivnykh imenii A.N.Semenova AN SSSR, Moscow

GAUZE, G.G., LOSHKAREVA, N.P.

Effect of olivomycin on the cells of Ehrlich's ascites carcinoma.
Vop. med. khim. 11 no.4:64-66 Jl-Ag '65. (MIRA 18:8)

1. Laboratoriya biokhimii kletochnykh struktur Instituta
morfologii zhivotnykh AN SSSR, Moskva.

GAUZE, G.G.; LOSHKAREVA, N.P.; ZBARKIY, I.B.; GAUZE, G.F.

Composition of DNA in some bacteria and their mutants carrying
oxidation deficiency. Dokl. AN SSSR 157 no. 2:457-459 J1 '64.
(MIRA 17:7)

1. Institut morfologii zhivotnykh imeni A.N.Severtsova AN SSSR
i Institut po izyskaniyu novykh antibiotikov AMN SSSR. Predstavлено
akademikom A.A.Imshenetskim.

BUDNIK, Yu.V.; GAUZE, G.G.

Study of the mechanism of the action of bruneomycin.
Antibiotiki 10 no. 10:880-885 O '65. (MIRA 18:12)

1. Institut po issledovaniyu novykh antibiotikov i Institut morfologii zhivotnykh imeni A.N. Severtsova, Moskva. Submitted
Fehr. 9, 1965.

41.3, II.

Journal of the Iron and Steel Institute
Vol. 176 Part 3
Mar. 1954
Fuel-Preparation, Properties, and Uses

(1) fuel

Coal Crushing in Coke-Oven Plants. H. Gauzo. (*Hutnik* (Poland), 1953, 20, (9), 285-288). [In Polish]. The coal used in Polish coke-oven plants is harder than in other countries, and foreign grinding equipment often failed to produce the necessary screen analysis. Bearing this in mind, crushing equipment in Polish coke-oven plants is critically surveyed and the re-equipment necessary for the production of high quality coke is discussed.--v. n.

GAUZER, S.I.

Automatic weighing batchers for charging concrete components. Iss.
tekhn.no.6:85-87 N-D '56. (MIRA 10:1)
(Weighing-machines) (Mixing machinery)

AUTHOR: Gauzner, S.I. SOV-115-58-4-2/45

TITLE: Organizing the Repair of Weighing Devices in Technical Repair Shops (Organizovat' remont vesoizmeritel'nykh priborov na remontno-tehnicheskikh stantsiyakh)

PERIODICAL: Izmeritel'naya tekhnika, 1958, Nr 4, pp.8-9 (USSR)

ABSTRACT: Weighing machines and balances used in kolkhozes and sovkhozes are at present subjected to bad and inefficient repair every 2 years at local weighing-equipment repair plants. The author suggests that the repair would be better and much cheaper if carried out at technical repair shops. In this case these shops would have to be equipped with the necessary measuring equipment and supplied with a suitable number of qualified personnel, specializing in this type of work. There is 1 table.

1. Balances--Maintenance

Card 1/1

25(5)

AUTHOR:

Gauzner, S.I.

SCOV/115-59-4-22/27

TITLE:

The First All-Union Scientific-Technical Conference
of Scale Industry Workers (Pervaya Vsesoyuznaya
nauchno-tehnicheskaya konferentsiya rabochikov
vesovoy promyshlennosti)

PERIODICAL: Izmeritel'naya tekhnika, 1959, Nr 4, p 41 (USSR)

ABSTRACT:

From January 14 to 16, 1959, the First All-Union
Scientific-Technical Conference of Scale Industry
Workers took place in Moscow. The Conference was
attended by 200 representatives of scale factories,
scale repair plants, NIIVESPROM, SKBDM Komitet
standartov, mer i izmeritel'nykh priborov (Committee
of Standards, Measures and Measuring Instruments),
laboratories and institutes of the Committee, and
representatives of organizations producing or de-
signing measuring instruments. S.I. Lukichev,
Gosplan SSSR, delivered a report on the future of
scale building in the USSR during the period from
1959 to 1965. Director of NIIVESPROM, V.A. Stolya-

Card 1/4

SCV/115-59-4-22/27
The First All-Union Scientific-Technical Conference of Scale Industry Workers

rov, reviewed new trends in the manufacture of scales. S.I. Gauchner from the Committee of Standards, Measures and Measuring Instruments, delivered a report on the technical control of scales. Besides these basic reports, the conference participants heard 18 statements on the automation of weighing loose goods and liquids, metrological laboratory balances, general purpose scales, instruments for recording weights and problems of manufacturing scales. Besides report on developments conducted at SKBIM and NIIVESPROM, there were reports on products of the Kiyevskiy vesovoy zavod imeni Dzerzhinskogo (Kiyev Scale Plant imeni Dzerzhinskogo) of the Nauchno-issledovatel'skiy institut tsvetnykh metallov (Scientific Research Institute of Non-Ferrous Metals, of the Vsesoyuznyy Nauchno-issledovatel'skiy institut stroitel'nogo i dorozhnogo mashinostroyeniya (All-Union Scientific Research Institute of Construction and Road

Card 2/4

SOV/115-59-4-22/27

The First All-Union Scientific-Technical Conference of Scale Industry Workers

Machine Building), of the institutes of the Committee, of the plant "Tekstil'pribor" and on projects of a number of other organizations. The conference was connected with an exhibition of products and experimental models produced by the Soviet scale industry and scientific research institutes, among them NIIVESPROM and SKBIM. There were electronic micro-balances, laboratory balances with remote controls, a model of electrotensiometric RR car scales, automatic dosing equipment for cement plants and other items. More than 20 conference participants took part in the discussions of the reports. The scale industry was criticized for deficiencies in the field of dial scales, general purpose scales, inadequate standardization and for producing out-dated models. The Khar'kov, Tulin, Tomsk, Bobruysk and Kokchetav plants were especially criticized for their poor products. The scale repair plants were criticized for their poor performance and their

Card 3/4

SOV/115-59-4-22/27
The First All-Union Scientific-Technical Conference of Scale Industry Workers

low technical level. The supply of spare parts for scales is also inadequate. The conference participants adopted a resolution calling for the elimination of the deficiencies in the Soviet scale industry.

Card 4/4

GAUZNER, S.I.

Conference on the automation of weight control. Izm.tekh.
no.11:62 N '61. (MIRA 14:11)
(Weighing machines)

ONLOV, Sergey Panteleymonovich; AVDEYEV, Boris Aleksandrovich;
GAUZNER, S.I., inzh., retsenzent; YEGORKINA, L.I., red.;
EL'KIND, V.D., tekhn. red.

[Weighing equipment in enterprises; manual] Vesovoe oborudovanie predpriatii; spravochnoe posobie. Moskva, Mashgiz,
1962. 406 p. (MIRA 15:7)
(Weighing machines)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZNER, S.I.

New standards for mass measurement. Izm.tekh. no.3:13-16 Mr :62.
(MIRA 15:2)
(Weights and measures—Standards)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

GAUZER, Ye.G.

Fauna and phenology of horseflies (Diptera, Tabanidae) in the
Nakhichevan A.S.S.R. Ent. oboz. 39 no.3:643-660 '60. (MIRA 13:9)
(Nakhichevan A.S.S.R.--Horseflies)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZER, Ye.

Horseflies of the Sulak Lowland region in Daghestan. Ent.
oboz. 32:226-229 '52. (MLRA 7:1)
(Sulak Lowland--Horseflies) (Horseflies--Sulak Lowland)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZER, Ye.G.

Fauna and plenology of horseflies (Diptera, Tabanidae) of north-western Azerbaijan. Ent. oboz. 33:238-254 '53. (MLRA 7:5)
(Azerbaijan--Horseflies) (Horseflies--Azerbaijan)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

Preparation and standardization of specimens of heparin from cattle lungs. A. I. Kurnev, R. K. Aliev, E. E. Osina, and B. G. Gauzer. Doklady Akad. Nauk Azerbaidzhan. S.S.R. 12, No. 6, 403-12 (in Russian, Azerbaijanian summary, 413)(1956).—A detailed description of a method suitable for extrn. of heparin from cattle lungs is given. A product is obtained comparable in activity to preps. marketed in Sweden and Hungary (1 ml. stabilizes 2000 ml. of blood). Standardization of the product is also described in detail, which is based on clotting of blood samples in contact with solns. of the prep., in various dilns. in physiol. soln.

G. M. Kisloapoff

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

KARAYEV, A.I.; ALIYEV, R.K.; OSINA, Ye.Ye.; GAUZER, Ye.G.; IGONETS, G.Ya.

Industrial method of manufacturing triprotamine sulfate from
sturgeon milt. Izv.AN Azerb.SSR no.1:101-110 Ja '57. (MIRA 10:5)
(Krasnodar Territory)--Snails)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

GAUZER, Ye. G.

ALIYEV, R.K.; OSINA, Ye.Ye.; GAUZER, Ye.G.

Method for commercial production of cholezyme. Dokl. AN Azerb.
SSR 13 no.4:419-424 '57. (MIRA 10:7)

1. Azerbaydzgabakoy meditsinskiy institut. Predstavлено akademikom
Akademii nauk Azerbaydzhanskoy SSR M.A. Topchibashevym.
(ENDOCRINOLOGY) (PHARMACY) (MATERIA MEDICA, ANIMAL)

ALIYEV, R.K.; OSINA, Ye.Ye.; GAUZER, Ye.G.

Industrial method for preparing artificial gastric juice.
Dokl. AN Azerb. SSR 14 no.12:1053-1058 '58. (MIRA 12:1)

1.Azerbaydzhanskiy meditsinskiy institut im. N. Narimanova.
Predstavlene akademikom AN AzerSSR A.I. Karayevym.
(GASTRIC JUICE)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZER, Ye.G.

Thyroid gland in cattle and its ontogenetic development. Trudy Sekt.
fiziol. AN Azerb. SSR 3:97-103 '60. (MIRA 13:10)
(THYROID GLAND) (CATTLE--PHYSIOLOGY)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

ALIYEV, R.K.; GAUZER, Ye.G.; IGONETS, G.Ya.; AKHVERDIYEV, S.M.

"Hepavit," a new vitamin-rich liver preparation, its raw materials
and production. Izv.AN Azerb.SSR.Ser.biol.i med.nauk 3:95-100 '61.
(MIRA 14:7)
(Liver extract)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

датчук, ю.г.

Thyroid gland in cattle in ontogenesis. Report No.2. Vop. fiziol.
6:119-126. '63. (MIR 17:11)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUTER, Ye.G.; ALIYEV, M.G.; ISMAIL'ADEH, A.I.; MUMAYYIZHA, . .P.

Biological activity of iodide naphthene. Izv. AN Azerb. SSR.
Ser. biol. nauk no.2:97-101 '64.

(MIRA 17:10)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

MEKHTIYEV, M.A.; GAUZER, Ye.G.; ASKEROV, F.B.

Functional state of the thyroid gland in sheep tested by the
accumulation of radioiodine (I^{131}). Dokl. AN Azerb. SSR 21
no.2:55-58 '65. (MIRA 18:5)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

KULIYEVA, G.; MIRZAZADE, A.; GAUZER, Ye.; ZHEREBCHEVSKAYA, T.

Therapeutic importance of methionine in thyrotoxicosis.
Azerb. med. zhur. 41 no.8:46-50 Ag '64. (MIRA 18:11)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZNER, M. Ya.

Copyless fine boring of hyperboloid holes. Stan. i instr. 36
no. 12:19-21 D '65 (MIRA 19:1)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

GAUZNER, S.I.

New method of loading double railroad cars for weighing and balancing. Izm. tekhn. no.1:52-55 Ja-F '55. (MLRA 8:9)
(Railroads--Freight cars) (Weighing--Machines)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZNER, S.I.

Weighing equipment in railroad transport. Izm.tekh. no.4:95-97
Jl-Ag '56. (MLRA 9:11)

(Railroads--Equipment and supplies)
(Weighing machines)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

GAUZNER, S.I., red.

[Instructions 54-56 for checking automatic batching scales
for a limit weight over 5 kg.] Instruktsiya 54-56 po poverke
avtomaticheskikh portsionnykh vesov dlja predel'noi nagruzki
svyash 5 kg. Izd. ofitsial'noe. Moskva, 1956. 18 p.
(MIRA 14:5)

1. Russia(1923- U.S.S.R.) Komitet standartov, mer i izme-
ritel'nykh priborov.

(Scales(Weighing instruments) --Testing)

GAUZNER, S.I., red.; KUZNETSOVA, M.A., red. izd-va; KONDRAT'YEVA,
M.A., tekhn. red.

(Instruction 50-57 for checking equal-arm steelyards] Instruktsiya 50-57 po poverke rychazhnykh bezmenov. Izd. ofitsial'noe. Moskva, 1957. 6 p. (MIRA 14:5)

1. Russis (1923- U.S.S.R.) Komitet standartov, mer i izmeritel'nykh priborov.
(Steelyards--Testing)

GAUZNER, S.I., red.

[Instructions 64-56 for checking quadrants] Instruktsiya
64-56 po poverke kvadrantov. Izd. ofitsial'noe. Moskva,
1957. 7 p.
(MIRA 14:5)

1. Russia (1923- U.S.S.R.) Komitet standartov, mer i iz-
meritel'nykh priborov.
(Quadrants--Testing)

GAUZNER, S.I., red.

[Instructions 63-55 for checking table dial balances] Instruktsiya 63-55 po poverke naestol'nykh tsifernykh vesov. Izd. ofitsial'noe. Moskva, 1957. 10 p. (MIRA 14:5)

I. Russia(1923- U.S.S.R.) Komitet standartov, mer i izmeritel'nykh priborov.

(Balance--Testing)

GAUZNER, S.I., red.; KUZNETSOVA, M.I., red. izd-va; MATVEYEVA, A.Ye.,
tekhn. red.

[Instructions 49-57 for checking movable unequal-arm scales]
Instruktsiiia 49-57 po poverke neravnoplechikh peredvizhnykh
vesov. Izd. ofitsial'noe. Moskva, 1957. 15 p. (MIRA 14:5)

1. Russia (1923- U.S.S.R.) Komitet standartov, mer i iz-
meritel'nykh priborov.
(Scales (Weighing instruments)—Testing)

GAUZNER, S.I., red.

[Instructions 40-56 for checking standard balances] Instruktsiya 40-56 po poverke obratsovykh vesov. Izd. ofitsial'noe. Moskva, 1957. 27 p. (MIRA 14:5)

1. Russie(1923- U.S.S.R.) Komitet standartov, mer i izmeritel'nykh priborov.

(Balance--Testing)

GAUZNER, S.I., red.

[Instructions 53-56 for checking automatic batching scales for loads up to 5 kg.] Instruktsiya 53-56 po poverke avtomaticheskikh portsiionnykh vesov dlia nagruzok 5 kg i menee. Izd. ofitsial'noe. Moskva, 1956. 11 p. (MIRA 14:5)

1. Russia(1923- U.S.S.R.) Komitet standartov, mer i izmeritel'nykh priborov.
(Scales(Weighing instruments)--Testing)

GAUZNER, S.I., red.; KUZNETSOVA, M.I., red. izd-va; MATVEYEVA,
A.Ye., tekhn. red.

[Instructions 59-57 for checking liter-size grain testers]
Instruktsiya 59-57 po poverke rabochikh litrovых burek.
Izd. ofitsial'noe. Moskva, 1958. 7 p. (MIRA 14:5)

1. Russia (1923- U.S.S.R.) Komitet standartov, mer i iz-
meritel'nykh priborov.
(Balance--Testing)
(Grain trade--Equipment and supplies)

GAUZNER, S.I.

Conference of specialists on weighing-machines. Izm.tekh.no.1:82-
83 Ja-F '57. (MLRA 10:4)
(Weighing-machines)

GAUZNER, S.I., red.; KUZNETSOVA, M.I., red. izd-va; MATVEYeva, A.Ye.,
tekhn. red.

[Instructions 47-57 for checking table balances] Instruktsiya
47-57 po poverke nastol'nykh vesov. Izd. ofitsial'noe. Mo-
skva, 1958. 11 p. (MIRA 14:5)

1. Russis (1923- U.S.S.R.) Komitet standartov, mer i izme-
ritel'nykh priborov.
(Balance--Testing)

GAUZNER, S.I.

The first all-Union scientific-technical conference of workers
of the weighing-machine industry. Izm.tekh. no.4:41 Ap '59.
(MIRA 12:5)
(Weighing machines)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZNER, S.I.

Checking automobile scales. Izm.tekh. no.3:8-11 Mr '60.

(MIRA 13:6)

(Scales (Weighing instruments)--Testing)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZNER, S.I.

Portable general-use dynamometers. Standardizatsiya 24 no.12,43
D '60.
(Dynamometer--Standards) (MIRA 13:11)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZNER, S.I.

Exhibition of testing machines and vibratory equipment made in
East Germany. Izm. tekhn. no. 1:62-63 Ja '61. (MIRA 14:1)
(Germany, East--Testing machines) (Germany, East--Vibrators)
(Moscow--Exhibitions)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZNER, S.I.

Conference on production quality. Izm.tekh. no.4:60-61 Ap
'62, (MIRA 15:4)
(Quality control)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

GAUZNER, S.I.

Scales. Standartizatsiia 27 no.2:45-47 F '63. (MIRA 16:4)
(Scales(Weighing instruments))

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

БЕЛЫЙ, АЛЕКСАНДР НИКОЛАЕВИЧ, А.Н.; САФАРЯН, Г.Г., . . .;
ПАДОВАНИЧЕВ, Е.В. и др.; РУДЕНКО В.В. и др.; инж.; ред.

[Design of elastic strain-measuring elements] Сборник оп-
ытных конспектов нескольких элементов. Москва, Машино-
строение, 1964. 390 p. (Т. А. КПД.)

OSOKINA, Ada Panteleymonovna; GAUZNER, S.I., retsenzent

[Standardization of testing machines and weighing devices] Tipizatsiya ispytatel'nykh mashin i vesoizmeritel'nykh priborov. Moskva, Mashinostroenie, 1965. 302 p. (MIRA 18:11)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9

ANDREYEV, I.F.; GAUZSHTEYN, D.M.

Biological characteristics of wood mice of the genus *Apodemus*
in Moldavia. Uch. zap. Kish. un. 13:95-108 '54. (MLRA 9:10)

(Moldavia--Field mice)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514420006-9"

(Gauzshteyn, D. M.)

Translation from: Referativnyy zhurnal, Geografiya, 1957, Nr 6,
p 127 (USSR) 14-57-6-12656

AUTHOR: Gauzshteyn, D. M.

TITLE: Winter Ornithology of the Moldavian SSR (Zimniy sostav ornitofauny Moldavskoy SSR)

PERIODICAL: Uch. zap. Kishenevsk. un-ta, 1956, Vol 23, Nr 2,
pp 135-140

ABSTRACT: Studies of birds wintering in Moldavia were undertaken in 1954-55. They covered the central, wooded section of the republic but not the steppe region nor the valleys of the Dnestr and Prut Rivers. Local species (50 varieties) predominate among birds which spend winters here, but six migrants were observed to come here from the north. These were: moss-billed owl, falcon, bullfinch, diver, cedar-bird, and cross-bill. The number of wintering birds varies, because some

Card 1/2

Winter Ornithology of the Moldavian SSR (Cont.)

14-57-6-12656

species occasionally migrate south to the Budzha steppes and to the Balkans. The number of wintering birds is small. The forest species which come from the north usually stop in the Carpathian Mountains. The cross-bills, bullfinches, divers, and creepers which are found in Moldavia during the winter are migratory Carpathian species. The article contains a bibliography of 11 titles.
Card 2/2

O. N. Sh.

KUNITSKIY, V.N.; GAUZSHTEYN, D.M.

Methods of censusing fleas in the entrances of burrows of the
greater gerbil (Rhombomys opimus Licht.) Zool. zhur. 42
no.11:1743-1745 '63. (MIRA 17:2)

1. Central Asiatic Research Anti-Plague Institute, Alma-Ata.

GAUZSHTEYN, D.M.; KUNITSKY, V.N.

Species of fleas on birds of the southern Balkhash Lake region
as related to the possible participation of birds in spreading
the plague infection. Zool. zhur. 43 no.10:1473-1479 '64.

1. Central Asian Research Anti-Plague Institute (Alma-Ata).
(MIRA 17:12)

GAVAGA, V.S.; KUZNETSOVA, G.M.; DYMURA, N.O.

Protective coatings made from perchlorovinyl lacquer. Koks
i khim no.4:47-49 '62. (MIRA 16:8)

1. Zhdanovskiy koksokhimicheskiy zavod.
(Protective coatings)

VEKSEL'MAN, S.N.; AMSTISLAVSKIY, I.M.; GAVAGA, V.V.

Experiment in the heat regulation in the Giprekals TE-42 system
ovens. Koks i khim. no. 7.26-23 '69.

(MIRA 18:8)

1. Koksokhimstantsiya (for Veksel'man). D. Shchurovskiy
koksokhimicheskiy zavod (for Amstislavskiy, Gavaga).

GAVAKETASHVILI, A.G.

Inheritance and change of some characters in interspecific grape hybrids.
Soob. AN Gruz. SSR 35 no.2:395-402 Ag '64.

(MIRA 17:12)

1. Institut sadovodstva, vinogradarstva i vinodeliya, Telavskaya
opytnaya stantsiya, Tbilisi. Submitted January 20, 1964.

IPSHIDZE, N. N.; CHUMKVIDZE, T. I.; TSVELASHVILI, L. N.; ~~TSVELASHVILI, L. N.~~
TORDIYA, M. V.; DUMBADZE, Z. G.; GALUVTADZE, N. S.; DIBDZISHVILI, N. A.;
GAVAKHISHVILI, N. N.

Studies on Cardiovascular System, some Biochemical, Hematologic and
Haemostatic Blood Indications in Old Age. Clinical Cardiology

Gerontology, 6th International Congress, Copenhagen, Denmark
11-16 August 1963

GAVALA, S.; ALIMOV, I.

Some new aspects in planning and analyzing certain traffic indexes.
Rev sailor fer 10 no.4:170-175 Ap '62.

1. Directia regionala C.F. Iasi.

L 19501-65 EPR/EWT(m)/EWP(b)/T/EWP(t) Ps-4/Pad AEDC(a)/SSD/AFWL/ESD(t)/
IJP(c) JD/HW

ACCESSION NR: AP4048316

Z/0065/64/000/005/0425/0432 ?

B

AUTHOR: Duhaj, P. (Dukhay, P.); Havalda, A. (Gavalda, A.)

TITLE: Study of the morphology of the γ' precipitate in nickel-base alloys with titanium and aluminum

SOURCE: Kovove materialy, no. 5, 1964, 425-432

TOPIC TAGS: precipitation, nickel base alloy, precipitation temperature, nucleation, solid phase, diffusion, particle growth rate, titanium aluminum alloy

ABSTRACT: The morphology (cubical, spherical, and irregular cellular) of the γ' precipitate was studied. In studying the equilibrium states of the pseudoternary system Ni₃Cr - Ni₃Ti - Ni₃Al at 850°C in alloys from the two phase $\gamma + \gamma'$ area where the γ' phase precipitated from the solid phase, the size and morphology in relation to the chemical composition of the alloy were investigated. The results of the investigation are in partial agreement with those of Beattie and Hagel, who relate the morphology of the γ' precipitate to the difference of the lattice parameter of the precipitate and of the matrix, and to the deformation energy of

Card 1/2

L 19501-65
ACCESSION NR: AP4048316

the crystal lattice of the precipitate in the coherent state. The γ' precipitates were annealed for 1000 hr at 850°C, at which point it cannot be assumed that coherence exists. The author concludes, therefore, that the degree of disagreement cannot be the principal factor determining the morphology of the precipitate in Ni-base alloys. Upon the loss of coherence, the Ti + Al content has the main influence in that the surface tension is affected in a different way. The author concludes that the size of the γ' is dependent principally on the Ti + Al content because with increased concentration of these elements the diffusion of the atoms is shortened in the course of the precipitation of the γ' phase. Their growth rate will depend on the diffusion rate of the predominant element in the alloy under the condition that at a given temperature the quantity of forming nuclei is constant in all the alloys, and is dependent principally on the precipitation temperature and the homogenizing temperature. Orig. art. has: 7 figures and 1 table.

ASSOCIATION: CSAV, Laboratorium fyziky kovov SAV, Bratislava (CSAV, Laboratory of the Physics of Metals, Slovak AS)

SUBMITTED: 22Apr64

ENCL: 00

SUB CODE: MM, SS

NO REF SOV: 000
Card 2/2

OTHER: 007

S/185/62/007/010/005/020
D234/D308

AUTHOR: Mavaleshko, M. P.

TITLE: Methods of measuring magnetic susceptibility

PERIODICAL: Ukrayins'kyy fizychnyy zhurnal; v. 7, no. 10, 1962,
1068-1077

TEXT: A detailed description is given of the principal elements of a new measuring installation, especially of the weighing system. The installation is an improvement of that described by W. G. Henry and J. L. Rogers (Phil. Mag., v. 1, no. 3, 1957). The electromagnet has pole ends of special form securing two domains with small field gradient along the specimen, but they are not necessary since the position of specimen does not change during the measurement. Susceptibility can be measured between 77 and 1000°K, and the results are recorded by an ЭИИ-09 (EPP-09) automatic recording potentiometer. The temperature range can be extended to 1300°K by placing the specimen in a quartz ampoule instead of a glass one. It is necessary to know the length and the mass of the specimen; the cross-section

Card 1/2

Methods of measuring ...

S/185/62/007/010/005/020
D234/D508

area is required only for the correction factor due to presence of air, etc. Conductivity, thermal e.m.f. and the Hall effect can be measured with the same installation. Values of susceptibility obtained by the author for various substances are compared with those given by other authors. The total error does not exceed 1%, the contribution of the error in determining the field intensity being the largest. The sensitivity is of the order of 10^{-11} cgs susceptibility units per gram. There are 5 figures and 1 table.

ASSOCIATION: Chernivets'kyy derzhuniversytet (Chernivtsi State University)

SUBMITTED: February 21, 1962

Card 2/2